

**TEST REPORT**

**Report No. : MAN:HL:1748001387**

**ISSUE DATE: 06-Mar-2026**



**RUSHIL DÉCOR LIMITED**

RUSHIL DÉCOR LIMITED, RUSHIL HOUSE, NEAR NEELKANTH GREEN BUNGLOW,  
OFF. SINDHU BHAVAN ROAD, SHILAJ, AHMEDABAD, GUJARAT, - 380058

INDIA

**CONTACT PERSON: DARSHANRAJ G N**

**THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :**

<b>SAMPLE DESCRIPTION</b>	HIGH PRESSURE DECORATIVE LAMINATE
<b>END USE</b>	KITCHEN AND TABLE TOPS. FURNITURE COATINGS
<b>COUNTRY OF ORIGIN</b>	INDIA

**LAB PROVIDED DETAILS:**

**CONDITION OF SAMPLE** COMPLETE AND OK

**THE LOCATION OF PERFORMANCE OF THE LABORATORY ACTIVITIES:** SGS GURUGRAM LABORATORY

**SAMPLE RECD ON** 27-Feb-2026 **TESTING PERIOD :** 27-Feb-2026 - 06-Mar-2026

**SUMMARY OF TEST RESULTS:**

TESTS	PASS	FAIL	REMARKS
TESTING AS PER COMMISSION REGULATION (EU) NO 10/2011	--		
OVERALL MIGRATION	P		

Remarks: P=Pass

F=Fail

**TEST(S) RESULT & METHOD:** PLEASE REFER TO NEXT PAGE(S). RESULTS APPLY TO THE SAMPLE AS RECEIVED

Per Pro SGS India Pvt. Ltd.

**PURUSHOTTAM TRIPATHI**  
**TECHNICAL EXECUTIVE**

**Authorized Signatory-Mechanical**

Email your Test Report Related Enquiries at [Feedback.HLT@sgs.com](mailto:Feedback.HLT@sgs.com)

**TEST REPORT**

**Report No. : MAN:HL:1748001387**

**ISSUE DATE: 06-Mar-2026**



**TEST RESULTS:**

**TESTING AS PER COMMISSION REGULATION (EU) NO. 10/2011:**

**OVERALL MIGRATION:**

**Method:** With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods. (1<sup>st</sup> +2<sup>nd</sup> +3<sup>rd</sup> Migration); EN 1186-3:2022, test method for overall migration in evaporable simulant.

Simulant Used	Test Condition	Result (mg/dm <sup>2</sup> )			Reporting Limit (mg/dm <sup>2</sup> )	Permissible Limit (mg/dm <sup>2</sup> )
		1 <sup>st</sup> Migration	2 <sup>nd</sup> Migration	3 <sup>rd</sup> Migration		
95% Ethanol	60°C For 02 Hours	Not Detected	Not Detected	Not Detected	2	10
Isooctane	60°C For 02 Hours	Not Detected	Not Detected	Not Detected	2	10
<b>Stability<sup>^</sup></b>	--	Yes			--	--
<b>Conclusion</b>	--	Pass			--	--

**Tested Item:** HIGH PRESSURE DECORATIVE LAMINATE

**Note :**


1. mg/kg = milligram per kilogram of foodstuff in contact with
2. °C = degree Celsius.
3. Permissible Limit is according to Commission Regulation (EU) No 10/2011 of 14 January 2011 with its amendment .
4. Test condition & simulant were specified by the customer.
5. <sup>^</sup> = Stability trend is based on the result of the material from first to third migration test as per described in Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex V for repeated use articles.
6. The compliance is based on the stability trend and 3<sup>rd</sup> migration result.
7. The ratio of surface area to volume is 10 dm<sup>2</sup> per 1 kg of foodstuff in contact with.
8. Test has been sub-contracted to ISO/IEC 17025 accredited laboratory..
9. Test has been performed as per customer request.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [General Conditions of Services for India](#) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents a [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Sample is not drawn by the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing.



Sample as Received



\*\*\*\*\*END OF REPORT\*\*\*\*\*

**TEST REPORT**

**Report No. : MAN:HL:1748000063**

**ISSUE DATE: 08-Jan-2026**



**RUSHIL DÉCOR LIMITED**

RUSHIL DÉCOR LIMITED, RUSHIL HOUSE, NEAR NEELKANTH  
GREEN BUNGLOW, OFF. SINDHU BHAVAN ROAD, SHILAJ,  
AHMEDABAD, GUJARAT, 380058  
INDIA

**CONTACT PERSON: DARSHANRAJ G N**

**THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :**

**SAMPLE DESCRIPTION** HIGH PRESSURE DECORATIVE LAMINATE  
**END USE** KITCHEN AND TABLE TOPS, FURNITURE COATINGS  
**COUNTRY OF ORIGIN** INDIA

**LAB PROVIDED DETAILS:**

**CONDITION OF SAMPLE** COMPLETE AND OK  
**THE LOCATION OF PERFORMANCE OF THE LABORATORY ACTIVITIES:** SGS GURUGRAM LABORATORY  
**SAMPLE RECD ON** 03-Jan-2026 **TESTING PERIOD:** 03-Jan-2026 - 08-Jan-2026

**SUMMARY OF TEST RESULTS:**

TESTS	PASS	FAIL	REMARKS
TESTING AS PER COMMISSION REGULATION (EU) NO 10/2011	--		
OVERALL MIGRATION	P		

Remarks: P=Pass

F=Fail

**TEST(S) RESULT & METHOD:** PLEASE REFER TO NEXT PAGE(S). RESULTS APPLY TO THE SAMPLE AS RECEIVED

Per Pro SGS India Pvt. Ltd.

**PURUSHOTTAM TRIPATHI**  
**TECHNICAL EXECUTIVE**  
**Authorized Signatory-Mechanical**

Email your Test Report Related Enquiries at [Feedback.HLT@sgs.com](mailto:Feedback.HLT@sgs.com)

**TEST REPORT**

**Report No. : MAN:HL:1748000063**

**ISSUE DATE: 08-Jan-2026**



**TEST RESULT:**

**1. TESTING AS PER COMMISSION REGULATION (EU) NO. 10/2011:**

**a) OVERALL MIGRATION:**

**Method:** With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods. (1<sup>st</sup> +2<sup>nd</sup> +3<sup>rd</sup> Migration); EN 1186-3:2022, test method for overall migration in evaporable simulant.

Simulant Used	Test Condition	Result (mg/dm <sup>2</sup> )			Reporting Limit (mg/dm <sup>2</sup> )	Permissible Limit (mg/dm <sup>2</sup> )
		1 <sup>st</sup> Migration	2 <sup>nd</sup> Migration	3 <sup>rd</sup> Migration		
3% Acetic Acid	70°C For 02 Hours	9.06	3.07	Not Detected	2	10
<b>Stability<sup>^</sup></b>	--	Yes			--	--
<b>Conclusion</b>	--	Pass			--	--

**Tested Item:** HIGH PRESSURE DECORATIVE LAMINATE

**Note :**

1. mg/kg = milligram per kilogram of foodstuff in contact with
2. °C = degree Celsius.
3. Permissible Limit is according to Commission Regulation (EU) No 10/2011 of 14 January 2011 with its amendment .
4. Test condition & simulant were specified by the customer.
5. <sup>^</sup> = Stability trend is based on the result of the material from first to third migration test as per described in Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex V for repeated use articles.
6. The compliance is based on the stability trend and 3<sup>rd</sup> migration result.
7. Test has been sub-contracted to ISO/IEC 17025 accredited laboratory.
8. Analytical tolerance of aqueous simulants is 2mg/dm<sup>2</sup> or 12mg/kg
9. Test has been performed as per customer request.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [General Conditions of Services for India](#) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents a [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Sample is not drawn by the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600

## TEST REPORT

Report No. : MAN:HL:1748000063

ISSUE DATE: 08-Jan-2026



Sample as Received



\*\*\*\*\*END OF REPORT\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [General Conditions of Services for India](#) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents a [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. Sample is not drawn by the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600